

TECHNICAL SPEC SHEET

L'AUDITORI DE CORNELLÀ

July 2026



VENUE	Indoor
ADRESS	C/ Albert Einstein 51, 08940 - Cornellà
CONTACT	tecnic Auditori@procornella.cat
PHONE	934740202, Ext. 1303
LOADING ACCES	Dock (4,2m wide x 2,2m high) Direct acces to stage.

738

Total Seats

362

Orchestra Seats

366

Amphitheater

8

Wheelchair Spaces

STAGE

PROSCENIUM OPENING

14MX8M

STAGE

22M X 12,8M + PROSCENIUM 2,4M = 300M/2

FLOOR

DM 21MM - 0° INCLINACIÓ

DRESSING ROOMS




Sound Equipment

PA System

Array Processing D&B

- 01.-** Line Array L D&B 4x serie Y8 + 2x serie Y12
- 02.-** Line Array R D&B 4x serie Y8 + 2x serie Y12
- 03.-** Subwoofer D&B 6x serie B6
- 04.-** FrontFill D&B 5x serie E6



Monitor System

- 01.-** 4 x D&B Max 12
- 02.-** 2 x QSC 12" (self-powered)

Amplification and Control

- 01.-** Yamaha DM7 console
- 02.-** Yamaha RIO 3224-D
- 03.-** Power amplifiers - 4x D&B serie D40 - 2x D&B serie 30D - 2xD&b Epac
- 04.-** Dante Soundcard
- 05.-** Qlab 5.0 (No lighting)
- 06.-** Intercom Hollyvox M1 8 units

Microphones

- 01.-** Shure SM58 × 2
- 02.-** Shure SM57 × 2
- 03.-** Shure A412B × 4 (conference)
- 04.-** Bases A412B × 4
- 05.-** Beta52A × 1
- 06.-** Audio-Technica AT4041 × 4
- 07.-** Senheiser e604 × 3
- 08.-** AKG C3000 × 3
- 09.-** DPA ST4011c × 2
- 10.-** Shure Beta 91a x 1

Wireless Microphones

- 01.-** 6x Sistema Shure Qlxd4 (sm58 + bodypack)
- 02.-** 3x DPA 4066

Other

- 01.-** 3x D.I Bss Ar-133 Passive
- 02.-** D.I Stereo Palmer

Lighting Equipment

Dimmers

- 01.-** 1 State Automation de 60 channels x 3Kw
- 02.-** 14 ADB (12ch x 8 2kw)
- 03.-** PEGASUS FLX (12ch x 6 2kw)

Conventional


- 01.-** 65x Par 64 (CP60,CP61 i CP62)
- 02.-** 27x Pcs 1Kw Coemar
- 03.-** 20x Profile spots Adb 1kw 15°-38°
- 04.-** 10x Profile spots Adb 1kw 9°-20°
- 05.-** 08x Fresnel Adb 2kw
- 06.-** 27x Asymmetric Adb 1kw
- 07.-** Coemar MD120 HMI 1Kw follow spot

LED Fixtures

- 01.-** Robe T11 Profile 12x (Front of house)
- 02.-** Robe T11 Profile 8x (Stage)
- 03.-** Prolights EclCyclorama 100

Control Systems

- 01.-** grandMa3 onPc Command Wing
- 02.-** Node Obsidian En12 + 2x En4
- 03.-** Node Briteq 3x Bt-Node 24
- 04.-** Switch Luminex Gigacore 30i + 16i




LED Moving Lights

- 01.-** 8x Robe LedBeam 350
- 02.-** 8x Martin Mac Aura
- 03.-** 8x Prolights Astra Hybrid 330 x 8
- 04.-** 4x Martin Rush Mh1

Other

- 01.-** 6x 3-metre truss tower
- 02.-** 4x 4-metre truss tower
- 03.-** MDG Atmosphere smoke machine




Stage Machinery

Bars

- 01.-** 9x manual aluminum, 3-line
- 02.-** 6x motorized
- 03.-** 5x motorized electrified
- 04.-** motorized truss

Upstage Area

- 01.-** 2x backdrop 8x10metres
- 02.-** 5x trapezoid legs 4x10metres
- 03.-** 6x borders 15x3metres
- 04.-** White ciclorama 15x10metres
- 05.-** 4x Motor Point Divo 250kg máx
- 06.-** 4x Bilites 1m
- 07.-** 2x Bilites 2m



Bar Legend

BAR	DISTANCE TO PROSCENIUM ARCH	MÁX. WEIGHT
Electrified - proscenium	-1000 mm	400 Kg
House curtain	0,00 mm	-
Manual 1	1400 mm	50 Kg
Electrified 1	1550 mm	400 Kg
Manual 2	2200 mm	50 Kg
Motorized 1	2400 mm	400 Kg
Manual 3	2900 mm	50 Kg
Electrified 2	3250 mm	400 Kg
Manual 4	4000 mm	50 Kg
Electrified 3	4250 mm	400 Kg
Manual 5	4800 mm	50 Kg
Motorized 2	5000 mm	400 Kg
Manual 6	5750 mm	50 Kg
Electrified 4	6150 mm	400 Kg
Motorized 3	6900 mm	400 Kg
Manual 7	7400 mm	50 Kg
Motorized 4	7900 mm	400 Kg
Manual 8	8200 mm	50 Kg
Motorized 5	8700 mm	400 Kg
Manual 9	9400 mm	50 Kg
Motorized 6	10000 mm	400 Kg
Truss	11000 mm	500 Kg